



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

Production date	2022-03-14	Fuel type	Petrol
Make	Volvo	Displacement	2.00 liters
Model	XC60 (18-) / MOMENTUM US/Canada 5-SEAT	Drive type	AWD
Series	XC60	Steering side	Left
Generation	XC60 (18-)	Exterior Color	PLATINUM GREY (731)
Engine code	B420T VEP4 HP 2.0L 300/420	Interior Color	CHARCOAL/LEAA/MAROONBROW (RA30)
Power	221 kW (296 HP)	Transmission	Automatic (AWF8G55)

OPTIONAL EQUIPMENT

MAKEUP LAMP SUNVISOR 2 illuminated sun visors (PB02)	ASSISTANCE SERVICES With Assistance Services (1602)
PARKING TICKET HOLDER With Ticket holder (V102)	CONNECTIVITY With Connectivity (2702)
Total weight check Carweight is OK (7902)	END STOP QUANTITY, PASSENGER Endstop passenger seat, 1psc (3P01)
ROAD SIGN INFORMATION With RSI (FR02)	Turbo configuration high performance (C502)
REAR VIEW MIRROR,TYPE Automatic dimming inner and outer (PN03)	GEARBOX,TYPE Automatic gearbox (DF02)
Jack (RQ02)	Bypass valve hvac with bypass valve (EG02)
ROOF COLOUR INTERIOR Charcoal roof colour interior (FH01)	SIM CARD FOR CONNECTIVITY only through Personal SIM (JV02)
KNEE AIRBAG Knee airbag driver side (EQ02)	VISIBLE LOCKING/UNLOCKING Visible locking and unlocking feedback, default ON (LL02)
EXTRA EMBLEM AWD emblem tailgate (T102)	PANIC FUNCTION Panic function with light & sound (LO03)
POWER RELEASE 2:d ROW Mechanical release fold 2:d row rear seat (NR03)	TRANSPORT STRAPS With transport eye (UB02)
PARKING CAMERA Rear Parking Camera, GEN 2 (2G08)	Remote monitoring system rms deactivated (2Z01)
WHEEL NUT PROTECTION CAP Plastic protection cap (6F01)	Srs calibration srs calibration 3 (EK03)
ELECTRIC FUEL LID OPENING With electric fuel lid opening (G402)	Err seat belts with electrical reversible retractors (EM02)
CENTRAL LOCK SWITCHES Central lock switches in both front doors and local locking switches in both rear doors (LA03)	Diagnosis system obd 2 (GB01)
	Audible locking feedback audible locking feedback enabled, default on (LG03)



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

OPEN, REAR SIDE DOOR 2 pull to open Rear side door, from locked (LT02)

Child seat attchm, label rear isofix label, a (N703)

Upholstery type production upholstery (NZ01)

Homelink type homelink 5 (PP06)

AC COMPRESSORS Mechanical A (140cc) (BA01)

Radio, amp & speaker system high performance audio, pro (K504)

Gearbox aw8gawd, automatic 8-speed awd (DB0B)

Gearbox/driveline 8-speed automatic, 2wd and 4wd (8B03)

Enhanced regen/48v kers with 48v kers (CM03)

Shift by wire with shift by wire 2 (DA03)

Loading floor, rear rear loading floor 1 (PJ04)

WORKSHOP WIFI With workshop wifi (2402)

INSULATED AIR DUCT B-PILLAR No insulated air duct in B-pillar (HA01)

Device mirroring wireless device mirroring, carplay & androidauto (8G0B)

Usb connection with usb hub, type c (KK05)

Parking assistance parking assistance, front and rear gen 3 (VP09)

Car/steering/seat2 extra variant (8O01)

Car/steering/seat3 extra variant (9D01)

Radartype with argus (RP03)

HANDLE DOORS Handle side door body color, with damper, keyless and illumination (TC05)

Side panel, luggage area side panel 2, luggage area (7202)

Front shock absorber front shock absorber 2 (7C05)

Rear shock absorber rear shock absorber g (7D11)

REAR SPRING SEAT Rear Spring Seat 2 (7E02)

Car/steering/seat extra variant (8V07)

Car/gearbox/driveline v426 auto 4wd (8J12)

BUMPER FRONT Extra variant (9506)

Instrument cluster calibr. parameter file for canada (MT03)

HEATED WINDSCREEN No Heated Frontscreen (TA01)

Seat colour interior maroon brown upholstery colour interior (FG06)

Spacer leaf spring spacer leaf spring 7 (7F07)

Refrigerant agent quantity refrigerating agent 625g (EF13)

Maximum load 430 kg or 950 lbs (YG08)

Interior code charcoal interior/leaa/maroon brown seat/comfort (1015)

Exterior code platinum grey (110V)

Colours,int/ext platinum grey (FK6J)

Bumper rear extra variant (9A13)

SECONDARY EXTERIOR CODE No secondary exterior code (1401)

MFI FUEL FILLER MisFueling Inhibitor (G902)

SERVICE TIME Service time, 12 months. (MW03)

CSB - IF CONNECTIVITY Connected Service Booking (2802)

DOORS 5 door (AF01)

THERMOSTAT Thermostat MEK (BG02)

ENGINE FAMILY 4 MP/HP (C201)

PARKING CLIMATE LEVEL, OPTION No parking climate option (E901)

FUEL ECONOMY LABEL NO FUEL ECONOMY LABEL (FE02)

HORN Horn, std. (JH01)

FREQUENCY - REMOTE CONTROLS Frequency 434 MHZ (LY02)

SPEECH LANGUAGE, NOT USED English (MK07)

CEM High spec CEM (VX04)



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

MARKET PLATES/LABELS Decals outside Japan/China (XA01)	TRANSMISSION AWD All wheel drive (AG02)
MARKET PLATES/LABELS Decals outside Brazil (XA16)	STEERING WHEEL POSITION Left Hand Drive (C101)
MARKET PLATES/LABELS Decals for outside Turkey (XA1C)	Stop/Start (CN02)
MARKET PLATES/LABELS Decals outside Japan (XA1E)	REAR FOGLIGHT TOWFUNCTION Foglights running even when trailer is connected (JS01)
OILPAN Oilpan without bulge (BF02)	Alarm (L102)
COMMON 42 V526/V426 (0121)	Heated rear seat (NN02)
COMMON MATERIAL Common material - all type 42 cars (0202)	Hill Descent Control (RN02)
COMMON MATERIAL SEAT NUMBER 5 and 7 seats (4D01)	Heated steering wheel (RT02)
COMMON MATERIAL SEAT NUMBER 4, 5, 6 and 7 seats (4D04)	Cruise control (KG02)
PHONE AS KEY No phonekey (6001)	LEVELLING SENSOR CONFIGURATION VDDM, Front Right, Rear Right (2L03)
SOC-LEVEL Standard SOC-level (CX01)	END STOP QUANTITY, DRIVER SEAT Endstop driver seat, 1psc (3O01)
FOIL, EXTERIOR No foil (FC01)	ALARM LOGIC Alarm Logic Base (3X01)
AUTONOMOUS VEHICLE No Autonomous Vehicle (FV01)	IHU LEVEL IHU high (8N02)
AUTONOMOUS DRIVE KIT No Autonomous Drive Kit (FW01)	VEHICLE TYPE V426 XC60 (AA05)
LOCK CYLINDER GLOVEBOX No lock cylinder glovebox (MD01)	REFRIGERANT 1234YF (EB01)
POWER OUTLET TUNNEL No 120/230 volt outlet in rear/lower tunnel console (PG01)	BASE COLOUR INTERIOR Charcoal base colour interior (FL01)
MARKET PLATES/LABELS Labels outside Korea (XA21)	HEADLIGHT CLEANING With headlight cleaning (JG02)
REAR VIEW MIRROR INNER, TYPE Autodim without Frame (6J01)	FOGLIGHTS IN SPOILER Foglight (JT02)
Infotainment head unit extra variant (8F12)	VIDEO ALLOWED Speed dependent (KT03)
Telematic module with telematic ca module usa/cdn (KZ11)	SELF OPENING BOOTLID/TAILGATE With poweroperated tailgate or bootlid (L702)
	KEYLESS ENTRY Passive entry, incl. remote tag (L902)
	UNLOCK SETTING Two step unlocking enabled, default OFF, Slam locking disabled (LM01)
	PRIVATE LOCKING LUGGAGE COMP. Private locking enabled (LQ02)
	SHIELDED WIRE, IF POT Shielded wire (LS02)
	Speech (MJ02)



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

Digital owners manual (MM02)	AIR QUALITY SYSTEM Air Quality System, Multifilter (MC02)
ARMREST, MIDDLE REAR SEAT 2row Centre rear armrest with cupholders and storage (N502)	INTERIOR ILLUMINATION Interior lightning mid version (PD03)
HEADRESTS FRONT 2 way headsrests Front, manual (N601)	LUMBAR SUPPORT 2 way lumbar support (NV03)
UPHOLSTERY MATERIAL Leather Moritz (NG02)	PRODUCT LABEL Country of Origin (3M01)
HEADRESTS 2:nd ROW, FOLDING El folding rear headrests (NO02)	Vacuum Less Brake System (BD02)
SEATS 5seat (NP02)	Subwoofer (KW02)
END STOP MATERIAL End stop in plastic (NT01)	INTERIOR MOTION SENSOR With interior motion sensor preparation (LV03)
RIM, INCH 19' Rim (R304)	ADAPTIVE LOAD LIMITER FRONT Adaptive Load Limiter Front Driver & Passenger Seat (E402)
Hill start assist (RD02)	COOLER KIT TYPE (F) Cooler kit type 2 (DT02)
WHEEL BRAKES TYPE FRONT Brake discs 18' FN+ (RE03)	INDUCTIVE CHARGING, SMARTPHONE Inductive Charging for smartphone + OnOff Btn Enable (K904)
Post Impact Braking (RH02)	FOOT MOVEMENT DETECTION MODULE Foot movement detection module Gen2 (L404)
WHEEL BRAKES TYPE REAR Rear brake 17' 320x20 GG (RK02)	REAR WIEW MIRROR,LH SIDE LH side rear wiew mirror, flat glass (LD02)
COLLISION MITIGATION SUPPORT With Collision Mitigation Support Front, ver.1 (RL02)	COLLISION MITIG. & WARN. REAR With Rear Collision Mitigation (RM03)
Road friction indication (RO02)	SPARE WHEEL Temporary sparewheel A (R602)
VIBR. DAMPER STEERING WHEEL Vibration damper, version 3 (RY04)	DRIVE MODE With drive mode glass button switch CSD (CQ03)
SNOW DEFLECTOR With SNOW DEFlector (SC02)	ROOF RAILS Roof rails integrated black (TP04)
LAMINATED WINDOWS Tempered glass, side & rear windows (T601)	COMBINED INSTRUMENT Drivers Information Module with 12.3 inch screen, Generation 2 (KB05)
SILLMOULDING Sillmoulding 'Volvo' metal (TL04)	TELEMATIC MODULE With Telematic CA Module (KU04)
DECOR SIDE WINDOWS Bright decor side windows (TM02)	AUTOMATIC LOCKING BY SPEED Automatic Locking by speed always ON, disabled in menu (LU01)
TPMS MENU FUNCTIONS in IHU TPMS, Reset menu (VC02)	Roof Absorber (E002)
DARKENED REAR WINDOWS Dark glasses, rear sidedoor and cargo area (LR02)	HEADLIGHTS,SYMMETRY US symmetry (JA01)
BLIND SPOT INFORMATION SYSTEM Blind spot Information System with CTA (LW02)	



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

PARKING CLIMATE LEVEL Afterrun parking climate (EE02)

PINCH PROTECTION LEVEL Enhanced pinch protection (EY02)

TELEPHONE NETWORK Telephone system CDMA2000 (K602)

REAR WIEW MIRROR, RH SIDE RH side mirror, radius=1400, with USA text (LE02)

HOMELINK With homelink (PO02)

BRAKE PADS Comfort pad (RC02)

TYREPRESSURE MONITORING SYSTEM Indirect TPMS, US Algorithm (RG07)

EXTRA VARIANT (LZ02)

INTERIOR DECOR PANELS Decor 'WOOD' 'Linear Lime' (NC06)

EPP FOAM With EPP Foam (3B02)

HEADLIGHTS, TYPE LED With Bending Light, type A, Top Range with HCM (JB0B)

EMERGENCY BRAKE LIGHT EBL, Extended Light Area, direction indicator (RS04)

HOOD ABSORBER Hood absorber on cars (E601)

STEERING WHEEL Steering wheel, 3 spoke, PU with unideco inlays (charcol) (RU0C)

EXTERIOR LIGHT LOGIC DDRL in all positions (JC05)

DIGITAL RADIO RECEIVER Sirius radio system (K204)

RETRIGG ENABLING - IF ALARM Retrig 3 cycles (L602)

WHEEL A 19' 7.5x19x50.5 19'designB (R178)

TOWBAR No towbar (2C01)

POLESTAR PERFORMANCE SW No Polestar Performance Software (2P01)

SCREEN THEMES/SKINS Screen Skins 'Standard 1' (3A01)

ADM FOR S-CAR (UNIQUE PNO) Adm. variant for standard car (5101)

ADM. FAMILY FOR TPMS With ITPMS- (indirect)function (6803)

FRONT SEAT, LEFT HAND SIDE LH Seat, extra variant (8701)

FRONT SEAT, RIGHT HAND SIDE RH Seat, Extra variant (8801)

SEAT PADDING Comfort seat padding (8H01)

PROPULSION TYPE Combustion engine only (CB01)

ELECTRIC VEHICLE INLET No Electric Vehicle Inlet (CJ01)

PEDAL ARRANGEMENT Pedal standard (DD01)

GRILL TYPE Standard grill 'high gloss' pianoblack (GR01)

REAR WIEW MIRRORS, OUTER Retractable Rear View Mirrors (K702)

CHILD LOCK.REAR DOORS Electrical child lock, rear side doors (L302)

REAR VIEW MIRROR CAP With colour matched rear view mirror cap (LF01)

APMS No Air borne Particulate Matter Sensor (MG01)

NETPOCKET IN CARGO AREA No netpocket in cargo area (N301)

POWER FOLD & RISE 3:d ROW No fold & rise 3:d row rear seat (NQ01)

CHASSIS TYPE Chassis DYNAMIC (RA03)

BUMPERS/SILL MOULDING Standard bumper (TJ03)

MARKET PLATES/LABELS Decals outside Russia (XA03)

MARKET PLATES/LABELS Decals outside Latin America/Mexico/Russia (XA06)

MARKET PLATES/LABELS Labels outside USA (XA0D)

MARKET PLATES/LABELS Decals outside China (XA0F)



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

MARKET PLATES/LABELS Decals outside Japan/China/Korea (XA10)	DIVERGENT COLOUR HEADLINING Standard colour on headlining/ceiling (FJ01)
MARKET PLATES/LABELS Decals outside India (XA14)	Lane Keeping Aid (FT02)
MARKET PLATES/LABELS Decals outside Arabia (XA18)	EMERGENCY LANE KEEPING AID Emergency Lane Keeping Aid 4 (FU05)
USER PACKAGES User package (XD01)	SURFACE TREATMENT TYPE GRILL Standard surface treatment grill (GS01)
CENTER STACK DISPLAY 9 inch 3.0 // CSD 3.0 (KS02)	SPEED LIMITATION Speed limit 180 km/h (KD12)
EXTERIOR PAINT,TYPE Metallic (1202)	KEY FOB Key fob standard (LB01)
Service solution (2501)	ACTIVE NOISE CONTROL Active Noise Control EOE (Engine Order Enhancement) (MA03)
ENGINE OPTIMIZATION AFTERMARKE Standard calibration engine (2601)	CHILD SEATS, REAR SEATS, 2row No child seat (N901)
REMOTE ENGINE START PRECOND Remote Engine Start Precond from smartphone app (2X02)	DRIVERS SEAT Power adjustable drivers seat with memory (NI02)
SW PATCH VERSION SW Patch 05 (4Z05)	Heated front seats (NM02)
PARTS FOR SPECIAL PRODUCTS Parts excluded for Special Vehicle (5401)	PROTECTION CARPETS, row 1 & 2 Carpet kit, textile (NY02)
SPECIAL VEHICLE WEIGHT VERSION Standard vehicle (6501)	TOLL ROAD TRANSPONDER No Toll Road Transponder (P301)
FRONT SEATS, LH Extra variant (8502)	POWER STEERING PERSONALISATION With Electro Power Steering Personalisation (RZ02)
COLOURED PROTECTION CARPETS Charcoal carpet kit, X-variant (8A01)	IR REFLECTIVE GLASS WINDSCREEN Standard Windscreen Glass (T801)
MATERIAL/PADDING Combination variant: Material/Padding (8I05)	SCUFF PLATE BOOT Rear scuff plate, metal (TF02)
LEATHER/VINYL CARE KIT No leather care kit (9301)	Fender sealing (UD02)
ENGINE FAMILY 2 VEP4 Engines (CA01)	MARKET PLATES/LABELS Labels outside Australia (XA0B)
ENGINE GENERATION VEA VEP4 generation 3 (CC03)	NTA-CODE No NTA numbers (YR01)
ENGINE GENERATION VEA2 VEA generation 3 (CD03)	INSULATION, MISC. No Extra Interior Absorbers (3702)
FUEL Petrol (CG01)	INSULATION CARPETS High spec NVH-carpets (3E02)
CLIMATE CONTROL UNIT Electronic Climate Control, 2 zone (ED01)	WINDSCREEN FOR SPECV Standard Windscreen, follows base car (4801)
Colour matching, exterior (FB01)	
Colour matching, exterior (FB02)	
IF INSCRIPTION: LOGO HEAD REST No Inscription logo on headrest upholstery (FF01)	



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

SEAT BELT FOR SPECV Standard Belt, follows base car (4901)

REAR SEAT REMOTE FUNCTIONALITY No rear seat remote functionality (4E01)

SPECIAL VEHICLES CAR CONFIG Standard Vehicle, no SPECV CC (6601)

SPECIAL VEHICLES SPEED LIMIT Standard Speed Limitation (6701)

SUNVISOR ILLUMINATED/DECAL Sunvisor illuminated, kombination variant (8901)

OUTER REAR VIEW MIRRORS Outer rear view mirror package (8D07)

SALES VERSION - ADMINISTRATIVE Ordinary SV (AP03)

ENGINE DENOMINATION Engine T6 (C405)

HYBRID BATTERY Battery 1 (CT03)

GEARLEVER,TYPE/KNOB Gearlever knob, PU with unideco (DI0B)

ROOF HATCH Openable panorama roof (EV02)

COLOUR MATCHING, INTERIOR Colour matching interior (FA01)

FUEL TANK, VOLUME Volume 71 Litre (G601)

HEAT IN GRILL EMBLEM Heat in grillembem (HE02)

TRANSPORT COVER Transport protection cover with opening for tailgate (JI03)

Automotive Service (KE02)

HEADLINING MATERIAL Standard material in headlining (ND01)

PASSENGERS SEAT Power adjustable passengers seat (NJ02)

COMFORT MODULE, SIDEPANEL No comfort module, sidepanel luggage area (NX01)

TYRE CIRCUMFERENCE Rolling circumference 2275mm (R973)

MODEL EMBLEM XC60 emblem (T006)

FRONT MESH Standard mesh front (TD01)

USER EXCEPTIONS Only for Chengdu (XE0E)

VEHICLE INSPECTION NUMBER LYV (YA05)

STEERING COLUMN Steering column type A manual adj. (RR01)

DOOR MOULDING LOWER Painted door moulding lower, no chrome (TR02)

TYRE, INCH 19' Tyre (R204)

ENGINE COOLING FAN PERFORMANCE Fan high performance (DR03)

YEAR DESIGNATION LETTER Year des N = model year 2022 (YB08)

FRONT SEATS, RH Extra variant (8604)

ALTERNATOR Alternator/Starter No starter motor (CR05)

BATTERY H7 AGM Leoch 80Ah 800 CCA (CS0B)

SUPPORT BATTERY Support Battery 5, 48V (CY06)

EMISSION EVAPORATOR SYSTEM Evaporator system, LEV3 (GA03)

SERVICE ENGINE TIME Service Engine Time, 500 hour (MX0A)

MARKET PLATES/LABELS Labels outside Europe (XA1F)

SW MINOR VERSION SW Minor 00 (4W0C)

TYRE PRESSURE LLLR Low speed, light load, rear, 240 kPa (YH05)

TYRE PRESSURE HLLR High speed, light load, rear, 240 kPa (YL05)

TCM POLESTAR SW Extra variant (6K06)

DOOR PANEL, FRONT DOORS Door panel front door (7502)

TYRE DIMENSION 235/55R19 (R507)

RADIATOR, TOW KIT With radiator towing kit (DS02)



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

TYRE PRESSURE LLLF Low speed, light load, front, 240 kPa (YI05)

TYRE PRESSURE HLLF High speed, light load, front, 240 kPa (YM05)

OCCUPANT WEIGHT SENSOR (OWS) Occupant Weight Sensor (ES02)

LANGUAGE REGION Language Region for North America (MQ03)

OCCUPANTS R: 3 , F: 2 , T: 5 (YV03)

TYRE PRESSURE SPARE WHEEL 420 kPa/60 psi (YQ05)

TYRE DIMENSION FOR LABELS T125/80R18 (YY02)

NUMBER PLATE ADAPTER FRONT Number Plate ADAPTER 1 'US/J' (3C03)

END STOP LENGTH Length 1 (3Q01)

SEAT TRACK SENSORS With Seat Track Sensors Driver & Passenger Seat (EH02)

SAFETY BELT Safety Belt, type A (EL01)

AIRBAG, DRIVER/PASSENGER Airbag, type A (EO01)

SAFETY BELT REMINDER Belt minder all seats, US logic (KJ02)

REGION IF DVD DVD region 1 (KL02)

FREQUENCY BAND & STEP,RADIO Frequency band and step for USA (MN03)

SYSTEM LANGUAGE American English (MO0A)

SERVICE DISTANCE Service distance 16000 km / ~9940 miles (MV20)

TYRE BRAND Pirelli VAS (R413)

LICENCE PLATE HOLDER REAR Licence plate holder for USA (TK03)

MAIN MARKET USA and Canadian markets (XC02)

TRAIN WEIGHT, C2 No train weight (YF09)

WVTA-NUMBER Chassi number elucidation for USA/CDN (YP02)

REAR AXLE CABLE HARNESS Extra variant (9405)

REAR SPRINGS-(weight) Extra variant (7804)

FRONT AXLE WEIGHT, only CC Front Axle Weight (7A6C)

REAR DOOR PROTECTIVE COVER Dogleg (3602)

FRONT SPRINGS-(weight) Extra variant (770C)

LAMBDA SENSORS 3 Lambda probes (3502)

CABLE HARNESS ENGINE Extra variant (8Z74)

ENGINE/GENERATION B420T GEN 3 (CE23)

ENGINE VEP4 HP 2.0L 300/420 (CF24)

EMISSION VERSION 2 VEA gen 3, Sulev, Kers (GG2E)

CATALYST TYPE Catalyst Petrol Z (GH0B)

ENGINE EMBLEM Emblem 'B6' (T21C)

TYRE PRESSURE LHLLR Low speed, heavy load, rear, 240 kPa (YJ05)

TYRE PRESSURE LHLLF Low speed, heavy load, front, 240 kPa (YK05)

TYRE PRESSURE HHLLR High speed, heavy load, rear, 240 kPa (YN05)

TYRE PRESSURE HHLLF High speed, heavy load, front, 240 kPa (YO05)

REAR AXLE WEIGHT, only CC Rear Axle Weight (7B58)

FMVSS-DECAL/PLATE CMVSS label Canada (4104) Sunvisor decal (4702)

INSTRUCTIONS Owners manual Canadian/French and American/English, no warranty booklet (MS2C)

UNIT SETTINGS Temp:C, Clock:12, Distance:KM, Fuel:liter/KM (US09)

MARKET PLATES/LABELS Labels for Canada (XA08)

PLATES/DECALS Labels for MFK39 (XB39)

MAX FRONT AXLE WEIGHT, C3 1240 kg Canada (YC2F)

MAX REAR AXLE WEIGHT, C4 1300 kg Canada (YD76)

GROSS WEIGHT, C1 2500 kg Canada (YE99)



VOLVO XC60 (18-) / MOMENTUM US/CANADA 5-SEAT

VIN LYV062RK3NB055650

ADM. FAMILY FOR TEST CARS No test series (9U01)

FUEL PUMP/FILTER Petrol Fuel pump with internal filter (G301)

DEFAULT RIDE HEIGHT Default ride height without air suspension (RF01)

BUMPER FRONT Front bumper without holes for number plate holder (TV02)

TRAFFIC SIGN INFORMATION CANADA, TSI without SLA (FS12)

SW MAJOR VERSION SW Major 05 (4Y05)

ADM TRIMLEVEL Administrative for Momentum vehicle (6A03)

While every reasonable effort is made to ensure data accuracy, we are not responsible for errors or omissions. Please verify all features and equipment with the manufacturer or a dealer. All trademarks are the property of their respective owners. © 2026 [iSeeCars.com](https://www.iseecars.com)